

§ 180.545

Commodity	Parts per million	Expiration/revocation date
Animal feed, non-grass, group 18 ...	10.0	09/30/10
Grain, cereal, forage, fodder and straw, group 16 .....	10.0	09/30/10
Grass, forage, fodder and hay, group 17 .....	10.0	09/30/10
Herb and spice, group 19 .....	10.0	09/30/10
Vegetable, foliage of legume, group 7 .....	10.0	09/30/10
Vegetable, legume, group 6 .....	0.10	09/30/10

[67 FR 59203, Sept. 20, 2002, as amended at 68 FR 32389, May 30, 2003; 68 FR 37765, June 25, 2003; 69 FR 58097, Sept. 29, 2004; 70 FR 7047, Feb. 10, 2005; 70 FR 51604, Aug. 31, 2005; 70 FR 75739, Dec. 21, 2005; 71 FR 32853, June 7, 2006; 73 FR 11826, Mar. 5, 2008; 74 FR 22468, May 13, 2009; 74 FR 45335, Sept. 2, 2009]

**§ 180.545 Prallethrin (RS)-2-methyl-4-oxo-3-(2-propynyl)cyclopent-2-enyl (1RS)-cis, trans-chrysanthemate; tolerances for residues.**

(a) *General.* (1) A tolerance of 1.0 ppm is established for residues of the insecticide prallethrin (RS)-2-methyl-4-oxo-3-(2-propynyl)cyclopent-2-enyl (1RS)-cis, trans-chrysanthemate as follows:

(2) In or on food commodities in food handling establishments where food and food products are held, processed, prepared and/or served.

(3) Application shall be limited to space, general surface, and spot and/or crack and crevice treatment in food handling establishments where food and food products are held, processed, prepared and/or served. General surface or space spray applications may be used only when the facility is not in operation provided exposed food has been covered or removed from the area being treated prior to application. Spot and/or crack and crevice application may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application. Spray concentrate shall be limited to a maximum of 2.0% active ingredient. Contamination of food or food contact surfaces shall be avoided. Food contact surfaces and equipment should be thoroughly washed with an effective cleaning compound and rinsed with potable water after use of the product.

(4) To assure safe use of the additive, its label and labeling shall conform to that registered with the U.S. Environmental Protection Agency, and it shall

40 CFR Ch. I (7–1–10 Edition)

be used in accordance with such label and labeling.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[65 FR 39313, June 26, 2000, as amended at 71 FR 74819, Dec. 13, 2006]

**§ 180.546 Mefenoxam; tolerances for residues.**

(a) *General.* Tolerances are established for the combined residues of (R)- and (S)-2-[(2,6-dimethyl(phenyl)-methoxyacetylamine)-propionic acid methyl ester, and its metabolites containing the 2,6 dimethylaniline moiety, and N-(2-hydroxy methyl-6-methylphenyl)-N-(methoxyacetyl)-alanine methyl ester, each expressed as mefenoxam equivalents, in or on the following food commodities:

Commodity	Parts per million
Artichoke, globe .....	0.05
Atemoya .....	0.20
Canistel .....	0.40
Custard apple .....	0.20
Herbs, dried .....	55
Herbs, fresh .....	8.0
Kiwifruit .....	0.10
Lingonberry .....	2.0
Mango .....	0.40
Papaya .....	0.40
Sapodilla .....	0.40
Sapote, black .....	0.40
Sapote, mamey .....	0.40
Star apple .....	0.40
Starfruit .....	0.20
Sugar apple .....	0.20

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[65 FR 57556, Sept. 25, 2000, as amended at 66 FR 48003, Sept. 17, 2001; 67 FR 35050, May 17, 2002]

**§ 180.547 Prohexadione calcium; tolerances for residues.**

(a) *General.* Tolerances are established for residues of the plant growth regulator, prohexadione calcium (calcium 3-oxido-5-oxo-4-propionylcyclohex-3-enecarboxylate) in or on the following raw agricultural commodities: